

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (canceled)
2. (currently amended) A system according to claim 36, in which said co-ordinating program comprises code for transmitting said co-ordinating program and said plurality of heterogeneous programs to said at least one another second computer, in response to a predetermined criterion.
3. (currently amended) A system according to claim 2, in which said co-ordinating program is arranged to determine ~~one of the~~ at least one second a plurality of computer[[s]] to move ~~to~~ said code for transmitting said co-ordinating program and said plurality of heterogeneous programs.
4. (currently amended) A system according to claim 32, wherein said at least one second computer comprises at least two second computers, and in which said co-ordinating program is arranged to store a sequence defining an order of preference of ~~said~~ for said at least two second computers to move to said code for transmitting said co-ordinating program and said plurality of heterogeneous programs.
5. (previously presented) A system according to claim 36, in which said co-ordinating program comprises monitoring code for monitoring the status of said

at least one second computer.

6. (previously presented) A system according to claim 2, in which said predetermined criterion comprises a reduction in computing capacity of said at least one second computer.

7. (currently amended) A system according to claim 5, in which said co-ordinating program is arranged to control each one of said plurality of heterogeneous programs in dependence upon said monitoring.

8. (previously presented) A system according to claim 7, in which the co-ordinating program is arranged to control the number of said plurality of heterogeneous programs in dependence upon said monitoring.

9. (currently amended) A system according to claim 36, in which said at least one second computer comprises at least two second computers and at least one heterogeneous program of said plurality of heterogeneous programs comprises code for transmitting said at least one heterogeneous program to another one of said at least one second ~~another~~ computers, in response to a move instruction from said co-ordinating program, and said co-ordinating program is arranged to transmit a said move instruction.

10. (previously presented) A system according to claim 9, in which said co-ordinating program is arranged to transmit a move instruction in response to said monitoring of status of said at least one second computer.

11. (currently amended) A system according to claim 36, in which the co-ordinating program is arranged to be capable of removing each of said plurality of ~~the~~ at least one heterogeneous programs ~~from the each of said~~ at least one second computer and to terminate execution thereof.

12. (currently amended) A system according to claim 11, in which ~~the~~ at least one of said plurality of heterogeneous programs ~~each comprises~~ code for causing ~~the~~ at least one second computer to remove and terminate the at least one heterogeneous program, and are arranged to do so in the absence of a signal from the co-ordinating program under predetermined conditions.

13. (currently amended) A system according to claim 36, in which the first computer is programmed to access a plural number of second computers to determine, for each, whether it will support said co-ordinating program and said plurality of heterogeneous computer programs and, where a second computer will not support ~~a~~ said co-ordinating program and said plurality of heterogeneous computer programs, to transmit thereto, and cause to execute thereon, a support program to adapt said at least one second computer to support said co-ordinating program and said plurality of heterogeneous computer programs.

14. (currently amended) A system according to claim 36, in which the first computer is programmed to transmit, to a plurality of second computers via said link, data defining a monitoring program comprising monitoring code for monitoring a respective said at least one second computer, and code for communicating with said first

computer; and said first computer is arranged to receive status data from ~~the or each~~ said monitoring program and said first computer is arranged to control the operation of ~~the~~ said co-ordinating program and ~~the~~ said plurality of heterogeneous computer programs in dependence thereon.

15. (previously presented) A system according to claim 14, in which the first computer is arranged to signal computer selection data to a co-ordinating program in dependence upon said monitoring data.

16. (previously presented) A system according to claim 14, in which said monitoring code is for monitoring the memory of said at least one second computer.

17. (previously presented) A system according to claim 14, in which said monitoring code is for monitoring the utilisation of the processor of said at least one second computer.

18. (previously presented) A system according to claim 14, in which said monitoring code is for monitoring the storage capacity of said at least one second computer.

19. (previously presented) A system according to claim 14, in which said monitoring code is for monitoring use of an input device of said at least one second computer.

20. (currently amended) A system according to claim 14, in which said monitoring code is for monitoring a battery of said ~~at least one~~ second computer.

21.-28. (canceled)

29. (currently amended) A method of remote computing comprising:
supplying a plurality of parallel processing task programs from a first computer to ~~at least one~~ a second computer;
supplying a co-ordinating program from said first computer to said second computer; and
co-ordinating operation of the plurality of parallel processing task programs on said second computer through the co-ordinating program executed on ~~the said~~ the second computer.

30. (canceled)

31. (previously presented) The method as in claim 37, wherein execution of the co-ordinating program results in transmission of the co-ordinating program to another computer in response to a predetermined criterion.

32. (previously presented) The method as in claim 31, wherein the predetermined criterion relates to a reduction in computing capacity of the at least one second computer.

33. (previously presented) The method as in claim 31, wherein the execution of the co-ordinating program results in determination of to which one of a plurality of other computers the co-ordinating program will be transmitted.

34. (previously presented) The method as in claim 31, wherein execution of the co-ordinating program results in monitoring of the status of the at least one second computer with respect to the predetermined criterion.

35. (previously presented) The method as in claim 37, wherein execution of the co-ordinating program enables a determination of whether another computer will not support the co-ordinating program and said plurality of heterogeneous computer programs and upon the determination that the another computer will not support the co-ordinating program and said plurality of heterogeneous computer programs, transmitting from the at least one second computer a support program to adapt the another computer to support the co-ordinating program and said plurality of heterogeneous computer programs .

36. (currently amended) A remote computing system comprising:
a first computer; and
at least one second computer coupled thereto via a communications link;
said first computer being programmed to transmit to ~~one of~~ said at least one second computer via said link:

i) data defining a plurality of heterogeneous programs for performing a computing task at said at least one second computer, said data comprising, for each one

of said plurality of heterogeneous programs, code for performing at least a part of said task and for communicating with a co-ordinating program located at said second computer, said plurality of heterogeneous programs being arranged for parallel ~~executing~~ execution on the at least one second computer; and

ii) data defining said co-ordinating program, said data comprising code for communicating with and for co-ordinating said plurality of heterogeneous programs on said at least one second computer and code for communicating with said first computer, said at least one second computer thereby being programmed to receive said data ~~defining the plurality of heterogeneous programs and said data defining said co-ordinating program,~~ and to execute, in parallel, said co-ordinating program and said plurality of heterogeneous programs.

37. (currently amended) A method of implementing a task by remote computing, the method comprising:

providing a first computer and at least one second computer which is remotely located from the first computer and coupled to the first computer via a communications link;

transmitting from the first computer to the at least one second computer via the communications link a co-ordinating program and a plurality of heterogeneous programs for implementing said task; and

receiving in the at least one second computer the co-ordinating program and the plurality of heterogeneous programs and executing in parallel the co-ordinating program and the plurality of heterogeneous programs;

wherein the execution of the co-ordinating program co-ordinates the operations of

the plurality of heterogeneous programs on the second computer and results in communication with the first computer, and execution of ~~at least one~~ each of the plurality of heterogeneous programs performs at least part of said task.

38. (new) The method as in claim 29, wherein execution of the co-ordinating program by the second computer determines whether to move the co-ordinating program from the second computer to a third computer which is remotely located from the first and second computers.

39. (new) The method as in claim 29, wherein execution of the co-ordinating program by the second computer moves the co-ordinating program from the second computer to a third computer which is remotely located from the first and second computers.

40. (new) The method as in claim 29, wherein execution of the co-ordinating program by the second computer includes receiving a message from a scout agent program being executed on a third computer which is remotely located from the first and second computers.

41. (new) The method as in claim 37 further comprising providing another computer which is remotely located from the first computer and the at least one second computer and which is coupled to the first computer and the at least one second computer via the communications link, wherein a scout agent program executed by the another computer communicates with the co-ordinating program while executed by the at least

one second computer.

42. (new) The remote computing system as in claim 36, further comprising another computer coupled to the first computer and the at least one second computer via the communications link, the another computer executing a scout agent program which communicates with the co-ordinating program while executed by the at least one second computer.

43. (new) A method of remote computing comprising:
supplying a co-ordinating agent program together with a plurality of parallel processing task programs from a first computer to a second computer remotely located from the first computer; and
executing the co-ordinating program on the second computer to control operation of the plurality of parallel processing task programs on the second computer via local communication.

44. (new) The method as in claim 43, wherein execution of the co-ordinating program by the second computer determines whether to move the co-ordinating program from the second computer to a third computer which is remotely located from the first and second computers.

45. (new) The method as in claim 43, wherein execution of the co-ordinating program by the second computer includes receiving a message from a scout agent

GHANEA-HERCOCK et al.
Application No. 09/700,175
May 1, 2006

program being executed on a third computer which is remotely located from the first and second computers.